

ASHTAGRAM CHANNELS DIVISION.

ADVERTISEMENT.
The 11th January 1888.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Ashagram Channels Division, up to 25th January 1888, for extending the Ranapur Channel from 22nd to 24th mile. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1888.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Mysore between the hours of 1 to 4 P. M.

3. Tenders should be submitted in printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed:—

Description of Work.		Unit of Work.	Quantity.	Rate per Unit.
Channel Excavation	..	C. Yd.	59,590,	
Turning	..	Sq.	2-03	
Embankment	..	C. Yd.	10,722	
Bridges.				
Excavation	..	C. Yd.	94	
Rough stone in ordinary mortar (hammer dressed and coursed)	..	C. Yd.	4,685	
Slab stones	..	"	249	
Covering ends	..	"	371	
Brick in ordinary mortar	..	Sq.	566	
Pointing	..	"	12-51	
Plastering	..	"	11-20	
Metalling and graveling roadway	..	C. Yd.	18	
Earthwork cutting bank and raising approaches	..	L. Sum.	Rs.	
Waste Weirs.				
Excavation	..	C. Yd.	448	
Brick in mortar	..	C. Ft.	5,430	
Plastering	..	Sq.	11-92	
Rough stone work (packing)	..	C. Yd.	330	
Slab stones	..	C. Ft.	68	
Concrete in ordinary mortar	..	R. Ft.	306	
Grooves	..	C. Yd.	8	
Jelly packing	..	C. Yd.	33	
Teak wood shutter with gear	..	L. Sum.	Rs.	
Syphon.				
Rough stone in mortar (hammer dressed and coursed)	..	C. Ft.	2,730	
Rough stone in concrete	..	C. Yd.	10	
Brick in ordinary mortar	..	C. Ft.	730	
Pointing	..	Sq.	3-76	
Plastering	..	"	6-08	
Slab stone work	..	C. Ft.	293	
Jelly packing	..	C. Yd.	4	
Excavation	..	"	224	
Earthwork training banks, &c.	..	"	450	
Making cuts	..	L. Sum.	Rs.	
Slabs, 18' long.				
Excavation	..	C. Yd.	188	
Brick in mortar	..	C. Ft.	1,185	
Plastering with do	..	Sq.	2-64	
Supporting slabs	..	C. Ft.	85	

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government Promissory notes as earnest money for the superseding of a Tender for the extension of the Ranapur Channel from 22nd to 24th mile; in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 8 days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the notice board in the Executive Engineer's office in the usual manner. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Aastagram Channels Division, up to 25th January 1888, for extending the Ramapur Channel from 24½ to 26th mile. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1889.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Mysore between the hours of 1 to 4 p.m.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed:—

Description of Work.				Unit of Work.	Quantity.	Rate per Unit.
Channel Excavation	C. Yd.	30,947	
Embankment	Do	8,934	
Turfing	Sq.	177	
Bridges.—						
Excavation	C. Yd.	54	
Rough stone in ordinary mortar, hammer dressed and coursed	C. Ft.	3,006	
Slabs	Do	102	
Covering slabs	Do	182	
Brick in ordinary mortar	Do	303	
Pointing	Sq.	831	
Plastering	Do	604	
Metalling and gravelling roadway	C. Yd.	8	
Earthwork cutting bunds and raising approaches	L. S.	Rs.	
Waste weirs.—						
Excavation	C. Yd.	63	
Brick in mortar	C. Ft.	1,089	
Plastering	Sq.	251	
Rough stone packing	C. Yd.	184	
Concrete in ordinary mortar	C. Ft.	96	
Jelly packing	C. Yd.	23	
Aqueduct.—						
Excavation	C. Yd.	635	
Brick in mortar	C. Ft.	10,768	
Do archwork segmental	Do	2,685	
Plastering	Sq.	7159	
Concrete	C. Ft.	1,660	
Slab stones	Do	635	
Rough stone in mortar, hammer dressed and coursed	Do	151	
Rough stone packing	C. Yd.	71	
Earthwork training bank	Do	900	
Contracting for 15 span 5 sets of 5 ribs	Each set	Rs.	
Sluices, 18' long.—						
Excavation	C. Yd.	315	
Brick in surki mortar	C. Ft.	1,980	
Plastering with do	Sq.	840	
Supporting slabs	C. Ft.	11½	

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government promissory notes, as earnest money, and be superscribed "Tender for the extension of the Ramapur Channel from 24½ to 26th mile," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Antheagram Channels Division, up to 25th January 1888 for extending the Ramapur Channel from 26th to 29½ mile. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1889.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 1 to 4 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed:—

Description of Work,				Unit of Work	Quantity	Rate per Unit.	
						Rs.	A. P.
Channel Excavation				C. Yd.	25,840		
Embankment				do	11,523		
Bridges—							
Excavation				do	114		
Rough stone in mortar (hammer dressed, squared)				C. Ft.	5,816		
Slab stones (for pillars, corbel stones, &c.) ..				do	190		
Covering slabs				do	316		
Brick in mortar				do	500		
Pointing				Sq.	14.76		
Plastering				do	10.14		
Metalling and graveling roadway				C. Yd.	16		
Earthwork for setting band and raising approaches				..	700		
Waste weirs—							
Excavation				C. Yd.	631		
Brick in mortar				C. Ft.	3,795		
Plastering				Sq.	8.87		
Rough stone packing				C. Yd.	483		
Concrete				C. Ft.	402		
Jelly packing				C. Yd.	94		
Sluices—							
Excavation				C. Yd.	315		
Brick in sarki mortar				C. Ft.	1,983		
Plastering with sarki mortar				Sq.	6.40		
Supporting slabs				C. Ft.	11.1		
Aqueducts—							
Excavation				C. Yd.	117		
Brick in mortar				C. Ft.	5,889		
Rough stone in concrete				C. Yd.	29		
Plastering				Sq.	42.45		
Concrete				C. Ft.	118		
Jelly packing				C. Yd.	18		
Slab stones				C. Ft.	328		
Training banks				C. Yd.	712		
Syphon—							
Excavation				C. Yd.	731		
Concrete in sarki mortar				C. Ft.	4,068		
Slab stones				do	649		
Brick in ordinary mortar				do	7,729		
Rough stone in concrete				C. Yd.	49		
Rough stone packing				do	178		
Plastering				Sq.	19.62		
Jelly packing				C. Yd.	36		
Earthwork diverting angle nallah				do	1,500		
Earthwork training banks				do	484		
Baling water							

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the extension of Ramapur Channel from 26th to 29½ mile; in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 8 days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Ashagram Channels Division, up to 25th January 1938, for extending the Ramapur Channel from 29½ to 33½ mile. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1939.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Mysore between the hours of 1 to 4 p.m.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed:—

Description of Work.	Unit of Work.	Quantity.	Rate per Unit.
Channel excavation	C. Yd.	28,446	
Embankment	C. Yd.	720	
Bridges.—			
Excavation	C. Yd.	100	
Rough stone in mortar (summer dressed and coursed) ..	C. Ft.	4,959	
Slab stones (for pillars and corbels)	Do	94	
Covering slabs	Do	241	
Brick in mortar	Do	438	
Pointing	Sq.	11,65	
Plastering	Sq.	8,88	
Metalling and graveling roadway	C. Yd.	13	
Earthwork for cutting land and raising approaches ..	Do	600	
Waste Works.—			
Excavation	Do	254	
Brick in mortar	C. Ft.	753	
Plastering	Sq.	2,17	
Rough stone packing	C. Yd.	167	
Concrete	C. Ft.	297	
Jelly packing	C. Yd.	33	
Rough stone in mortar (summer dressed and coursed) ..	C. Ft.	1,501	
Yedakola aqueduct.—			
Brick in surki mortar	Do	2,895	
Brick in ordinary mortar	Do	5,944	
Brick Archwork	Do	1,168	
Plastering	Sq.	34,38	
Concrete in surki	C. Ft.	2,316	
Slab stones	Do	293	
Rough stone in mortar (summer dressed and coursed) ..	Do	3,056	
Rough stone in concrete	C. Yd.	34	
Rough stone packing	Do	67	
Jelly packing	Do	74	
Excavation	Do	531	
Earthwork, training banks, &c.,	Do	711	
Baling water	L. S.	..	
Shives, 18' long.—			
Excavation	C. Yd.	315	
Brick in surki mortar	C. Ft.	1,280	
Plastering with surki	Sq.	640	
Supporting slabs	C. Ft.	11½	
Shives, 9' long.—			
Excavation	C. Yd.	194	
Brick in surki mortar	C. Ft.	1,584	
Plastering with surki	Sq.	312	

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government promissory notes, in earnest money, and be signed by the Tender for the extension of Ramapur Channel from 29½ to 33½ mile; in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 3 days of the acceptance of the tender, the successful competitor will be required to execute the tender contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

• Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Ashragam Channel Division, up to 25th January 1888, for fixing Grade, Index and Bench mark stones for Bangalore extension from 2nd to 33½ mile. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of July 1888.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Mysore between the hours of 1 to 4 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The forms should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed:—

Description of Work.		Unit of Work.	Quantity.	Rate per Unit.	
Fixing Grade stones..	..	Each.	480		
Do Index stones..	..	Do	192		
Do Bench mark stones	..	Do	48		

4. Each tender must be accompanied by a deposit of rupees fifty (Rs. 50) in cash or Government promissory notes as earnest money, and be superscribed "Tender for fixing Grade, Index and Bench mark stones for Bangalore Channel extension from 2nd to 33½ mile;" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 8 days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

F. J. McLAUGHLIN,
Executive Engineer.

BANGALORE CITY MUNICIPALITY.

The 12th January 1888.

Memo of propositions to be laid before the next ordinary meeting of the City Municipal Commission to be held at their Office premises on Saturday the 25th January 1888 at 7-30 A. M.

1. Cash account current and monthly returns for the month of December 1887.
2. Proceedings of the Dewan of Mysore No. 5659-531, dated 24th December 1887, making certain observations on draft rules submitted to Government relating to cart-stands within City Municipal limits.
3. Report from the Sub-Committee submitting a list of the proposed original works to be carried out during the next official year.
4. Draft budget estimates of receipts and expenditure of Municipal Funds for the official year 1888-89.
5. Letter dated 23rd December 1887, from the Lady Superior of the Convent of Good Shepherd, regarding the erection of additional building, west of St. Maria's Hospital and close by the District Lock-up.
6. Report from the Acting Municipal Overseer dated 19th January 1888, requesting sanction to carry out certain works which are stated to be urgent.

A. SAINIVASACHANDU, M. L.,
Vice-President.
2 C